

Date : June 13 2008

Subject : Service Tools

No

Year

Model

All

All

BRP is proud to introduce its latest Service Tools Bulletin. These special tools were designed to help you efficiently service BRP vehicles. Please always make sure to use special tools along with the appropriate Shop Manual(s) and respect all safety measures.

**Mandatory Tools:** These tools are absolutely needed to perform certain service procedures. They will be automatically shipped to dealerships. They do not need to be ordered separately.

**Recommended Tools:** These tools will facilitate the Technicians work. They will not be automatically shipped to dealerships. They need to be ordered separately.




### Table of contents

#### Tools by System:


Engine .....	P	2
Fuel .....	P	15
Cooling .....	P	17
Electrical .....	P	18
Lubrication .....	P	21
Propulsion / Transmission .....	P	22
Steering .....	P	30
Suspension .....	P	30
Hull / Body / Chassis .....	P	34
Various .....	P	34

Index of tools by Part Number: .....	P	37
--------------------------------------	---	----

# Engine



Leakage Tool MIKUNI BN Pump  
 P/N 295 000 114 Recommended  
 All carbureted engines  
 To leak test carburetor pop-off pressure.




TDC Dial Indicator  
 P/N 295 000 143 Recommended  
 2-stroke engines except DI




Fitting (item 1)  
 P/N 408 201 100 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit 861749100



Clamp (item 2)  
 P/N 408 803 500 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit 861749100




TDC dial indicator 25 mm  
 P/N 414 104 700 Recommended  
 For ignition timing static measurement




Polyamid ring pusher  
 P/N 420 267 930 Recommended  
 247 engine




HALF RING PULLER MAG  
 P/N 420 276 025 Recommended  
 717 engine  
 To remove crankshaft bearings.




MAG seal pusher  
 P/N 420 277 875 Recommended  
 277f




Screw M8x40 (item #7)  
 P/N 420 840 681 Recommended  
 All 2-stroke engines



Screw M8x70 (item #8)  
 P/N 420 841 201 Recommended  
 All 2-stroke engines  
 To be used with P/N 827 635.



Magneto Puller  
 P/N 420 876 081 **Mandatory**  
 All 2 strokes




Cylinder alignment tool  
 P/N 420 876 171 Recommended  
 377f, 440f  
 To use on exhaust side


# Engine



Half ring puller  
 P/N 420 876 330 Recommended  
 947 & 947 DI engines  
 To remove 52 mm O.D. bearings from the crankshaft.




Seal protector sleeve  
 P/N 420 876 490 Recommended  
 Rotary valve engine with 12 mm shaft




Rotary valve bearing pusher  
 P/N 420 876 500 Recommended  
 Rotary valve engines




Rotary Valve Bearing Pusher  
 P/N 420 876 501 Recommended  
 717, 787 & 787 RFI engines



Rotary valve seal pusher  
 P/N 420 876 510 Recommended  
 440F  
 All rotary valve shaft seal with 12 mm I. D.



Insertion jig (magneto seal)  
 P/N 420 876 514 Recommended  
 454, 494, 599, 670, 699 & 809



Gasket pusher (magneto side seal)  
 P/N 420 876 516 Recommended  
 599, 699, 779, 809




Crankshaft Protector  
 P/N 420 876 552 Recommended  
 All 2 stroke, except 247 (PTO)  
 Use with 420877635




Crankshaft Protector  
 P/N 420 876 557 Recommended  
 717 / 787 RFI / 800R / 800 HO



Crankshaft Distance Ring (MAG)  
 P/N 420 876 569 Recommended  
 All 2-stroke engines




Rotary Valve Shaft Installer  
 P/N 420 876 605 Recommended  
 717 engines & older than 1990




Rotary valve shaft pusher  
 P/N 420 876 610 Recommended  
 500lc  
 All rotary valve engine with 12 mm shaft.


# Engine




Rotary valve shaft pusher  
P/N 420 876 612 Recommended  
engine with rotary shaft 10 mm




Crankshaft feeler gauge  
P/N 420 876 620 Recommended  
377, 443, 447 & 503




PTO seal pusher  
P/N 420 876 660 Recommended  
277




Gear holder  
P/N 420 876 695 Recommended  
277F, 377F, 447 & 503  
To hold the oil pump gear




Distance gauge 5.7 mm  
P/N 420 876 822 Recommended  
377, 443 & 447




Crankshaft distance gauge 12.7 mm  
P/N 420 876 824 Recommended  
503F




Cylinder Alignment Tool  
P/N 420 876 904 Recommended  
717 engines




Magneto centering tool  
P/N 420 876 922 Recommended  
717 engines  
All engines with Nippondenso 160 W CDI.



Seal protector sleeve  
P/N 420 876 980 Recommended  
Rotary valve engines with 10 mm shaft



Rotary valve seal pusher  
P/N 420 877 050 Recommended  
500, 583, 670




Puller et bolt (item 1 & 9)  
P/N 420 877 635 Recommended  
All 2-stroke engines



Ceramic seal pusher  
P/N 420 877 820 Recommended  
494 & 670


# Engine



**Replacement Puller Bolt (item #9)**  
 P/N 420 940 755 Recommended  
 All 2-stroke engines  
 To use with puller P/N 420 877 635.




**Flywheel puller**  
 P/N 420 976 235 Recommended  
 247, 787, 787 RFI, 947 & 947 DI engines  
 Replacement bolt P/N 529 035 549.




**Crankshaft protector (item 2)**  
 P/N 420 976 890 Recommended  
 247 engine




**HALF RING PULLER**  
 P/N 420 977 475 Recommended  
 717 / 787 RFI engines




**Half-ring puller (item 4)**  
 P/N 420 977 479 Recommended  
 599, 699, 779, 809  
 3 cylinders crankshaft bearing remover; to use with 420877635



**HOLDER RING (item #3)**  
 P/N 420 977 480 Recommended  
 947DI engines



**RING PULLER (item #3)**  
 P/N 420 977 490 Recommended  
 717/787RFI engines



**Ring Puller (item 3)**  
 P/N 420 977 494 Recommended  
 599, 699, 779, 809  
 Crankshaft bearing installer



**Adapter (item 3)**  
 P/N 517 234 900 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit 861749100



**Replacement rubber seal (item 13)**  
 P/N 529 010 902 Recommended  
 For kit 529010900



**Intake Plug (item 4)**  
 P/N 529 011 000 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit 861749100



**RAVE plate (item 7)**  
 P/N 529 011 200 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit 861749100


# Engine




Replacement rubber seal (item 8)  
 P/N 529 011 203 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100



Circlip installer  
 P/N 529 016 900 Recommended  
 Replaced by 529035562



Aligning pin (4)  
 P/N 529 018 900 Recommended  
 CK3 1999: 467, 494 & 582



Rotary valve circlip tool  
 P/N 529 020 800 Recommended  
 1993 and earlier rotary valve engines



Manifold plug 57 mm (2-1/4") (item 10)  
 P/N 529 021 100 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100



Manifold plug 70 mm (2-1/4) (item 12)  
 P/N 529 021 200 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100



Exhaust plate (item 13)  
 P/N 529 021 300 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100




Replacement rubber seal (item 13)  
 P/N 529 021 302 Recommended  
 Replacement part for kit 861749100



Vacuum pressure pump  
 P/N 529 021 800 Recommended  
 All models



Magneto puller  
 P/N 529 022 500 Recommended  
 Replaced by 529035547




Rubber pad protector  
 P/N 529 023 400 Recommended  
 1999 CK3 & S200 cageless bearing  
 engines




Exhaust plate (item 14)  
 P/N 529 024 600 Recommended  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100

# Engine



Base puller plate kit  
P/N 529 024 900 Recommended  
277



Rotary valve circlip Tool  
P/N 529 029 100 Recommended  
1994 and more recent rotary valve engine



Intake plug (item 5)  
P/N 529 030 500 Recommended  
All 2 stroke engines  
Replacement part for item included in kit 861749100



Piston ring compressor 78 mm  
P/N 529 030 800 Recommended  
670 engine



Leak test kit (fuel/oil)  
P/N 529 033 100 **Mandatory**  
All models




Exhaust spring installer/remover  
P/N 529 035 400 Recommended  
Replaced by 529035983




Piston pin puller  
P/N 529 035 503 **Mandatory**  
All 2-stroke engines




Replacement Protector Sleeve  
P/N 529 035 513 Recommended  
To be used with P/N 529 035 503.



Driver tool  
P/N 529 035 521 Recommended  
Mini Z



Attachment  
P/N 529 035 522 Recommended  
Mini Z




Bearing Pusher 2 2mm  
P/N 529 035 523 Recommended  
Mini Z




Sleeve kit 18 mm  
P/N 529 035 541 **Mandatory**  
Ski-Doo 277, Sea-Doo 587  
To install cageless bearings. Used with 529035503


# Engine



Sleeve kit 20 mm  
 P/N 529 035 542 **Mandatory**  
 717, 787 RFI, 600, 800HO  
 Used with 529035503



SLEEVE Kit 21mm  
 P/N 529 035 543 **Mandatory**  
 947, 947 DI, 800 R Engines  
 To install cageless bearings. Used with  
 529035503



Flywheel Puller  
 P/N 529 035 547 **Mandatory**  
 Replacement bolt 529035549. Use  
 20876081/295000125/420841591/2908472  
 20




Bolt M16 x 1,5 x 65mm  
 P/N 529 035 549 **Recommended**  
 DS 450  
 Goes with 529 035 547 & 420 976 235.



Spring installer remover  
 P/N 529 035 559 **Recommended**  
 Replaced by 529035983 or 529035989



Circlip Insertion Tool 18 mm  
 P/N 529 035 561 **Recommended**  
 Sea-Doo 587, Ski-Doo 277 engines



Circlip insertion Tool 20 mm  
 P/N 529 035 562 **Recommended**  
 593, 670, 693, 717, 787 & 787 RFI engine  
 Sleeve without groove P/N 529 035 567  
 also available.



Circlip Insertion Tool 21 mm  
 P/N 529 035 563 **Recommended**  
 947 & 947 DI engines  
 Sleeve without groove, P/N 529 035 569  
 also available.




Sleeve 18mm  
 P/N 529 035 565 **Recommended**  
 Replacement part for 529035561



20 mm Sleeve  
 P/N 529 035 567 **Recommended**  
 Use with 529 035 562.



21 mm Sleeve  
 P/N 529 035 569 **Recommended**  
 Use with P/N 529 035 563.



Degree Wheel  
 P/N 529 035 607 **Mandatory**  
 All rotary valve engines




# Engine



529 035 661

Engine leak down test kit  
 P/N 529 035 661 Recommended  
 All 4-stroke engines  
 To perform a leak down test on engine.



Piston circlip installer  
 P/N 529 035 686 **Mandatory**  
 All engine with tab type circlip



529 035 687

Valve stem seal installer  
 P/N 529 035 687 Recommended  
 610 engine



529 035 724

Valve spring compressor  
 P/N 529 035 724 Recommended  
 4-TEC engines  
 To be used with valve spring compressor cup 529 035 764 and 529 036 073



529 035 764

Valve spring compressor cup  
 P/N 529 035 764 Recommended  
 V-1000/ V-1300/330/400/490/660/810  
 To be used with valve spring compressor 519 035 724.



529 035 765

Piston circlip installer  
 P/N 529 035 765 Recommended  
 610/500/1503/V-1000 engines



529 035 766

Ceramic seal installer  
 P/N 529 035 766 Recommended  
 All V-twin, 330/400, 610/500, 500 eng.  
 Use with 529 036 130



CRANKSHAFT LOCKING TOOL  
 P/N 529 035 821 Recommended  
 4-TEC 1503 engines



OIL SEAL GUIDE  
 P/N 529 035 822 Recommended  
 4-TEC 1503 engines



529 035 829

Engine removal hook  
 P/N 529 035 829 **Mandatory**  
 REV, RT



Engine lifting ring  
 P/N 529 035 830 **Mandatory**  
 2-stroke engines with 14 mm spark plugs



CAMSHAFT LOCKING TOOL  
 P/N 529 035 839 Recommended  
 V1000, V1300 & 1503 engines


# Engine



Suction pump  
P/N 529 035 880 Recommended



Crankshaft locking tool  
P/N 529 035 900 Recommended  
V-1000, V-1300



PTO cover oil seal installer  
P/N 529 035 910 Recommended  
V1000, V-1300



Oil pump seal installer  
P/N 529 035 911 Recommended  
4-TEC V1000



Pusher 55/59 mm  
P/N 529 035 913 Recommended  
V1000, V1300



Pusher 32/42 mm  
P/N 529 035 914 Recommended  
V1000, V1300



2-stroke engine lifting hook  
P/N 529 035 940 Recommended  
All 2-stroke engines



Support sleeve  
P/N 529 035 944 Recommended  
V1000, V1300



Engine support bearing installer  
P/N 529 035 952 Recommended  
Elite



Engine support bearing  
P/N 529 035 953 Recommended  
Elite



Torque flange remover  
P/N 529 035 958 Recommended  
Elite



4-tooth socket  
P/N 529 035 960 Recommended  
Elite

# Engine




Manifold plug 63 mm (2-1/2") (item 11)  
 P/N 529 035 961 **Recommended**  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100




Exhaust plate (item 15)  
 P/N 529 035 962 **Recommended**  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100



Intake Plug (item 6)  
 P/N 529 035 963 **Recommended**  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100




Distance ring (item 14)  
 P/N 529 035 964 **Recommended**  
 693, 793  
 To be used with 420877635, for MAG side  
 bearing



Crankshaft distance gauge  
 P/N 529 035 965 **Recommended**  
 552  
 To be used with 529035876




Crankshaft distance gauge  
 P/N 529 035 966 **Recommended**  
 493 & 593  
 To be used with item 529035976



Crankshaft distance gauge  
 P/N 529 035 967 **Recommended**  
 593HO, 593 SDI, 693 & 793  
 To be used with 529035976



Crankshaft distance gauge  
 P/N 529 035 968 **Recommended**  
 793 HO & 793 HO SDI  
 To be used with 529035976



Bearing heater  
 P/N 529 035 969 **Mandatory**  
 All



Temperature indicator  
 P/N 529 035 970 **Mandatory**  
 All



RAVE plate (item 8)  
 P/N 529 035 971 **Recommended**  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100



RAVE plate (item 9)  
 P/N 529 035 972 **Recommended**  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100

# Engine



**Resonator plug (item 17)**  
 P/N 529 035 973 **Recommended**  
 All 2 stroke engines  
 Replacement part for item included in kit  
 861749100



**Support plate**  
 P/N 529 035 976 **Recommended**  
 3 series & 552 engines  
 Used with 529035964, 965, 966, 967 & 968




**Crankshaft MAG bearing installer**  
 P/N 529 035 979 **Recommended**  
 493, 593 engines



**Crankshaft MAG bearing installer**  
 P/N 529 035 980 **Recommended**  
 552, 593HO, 693, 793 engines




**PTO bearing installer tool**  
 P/N 529 035 990 **Recommended**  
 552, 593HO, 693, 793 engines



**Piston circlip Installer**  
 P/N 529 035 998 **Mandatory**  
 995 SDI



**Exhaust plate**  
 P/N 529 035 999 **Recommended**  
 995 SDI  
 For leak test.



**Plug Intake**  
 P/N 529 036 000 **Recommended**  
 995 SDI  
 For leak test.



**Magneto holder**  
 P/N 529 036 001 **Mandatory**  
 995 SDI



**Piston pin puller**  
 P/N 529 036 002 **Mandatory**  
 995 SDI



**RAVE Plate**  
 P/N 529 036 003 **Recommended**  
 995 SDI  
 For leak test.



**Crank shaft bearing puller**  
 P/N 529 036 004 **Recommended**  
 2 strokes Engine

# Engine



Crank protector  
P/N 529 036 011  
995 SDI

**Mandatory**



Ceramic seal installer  
P/N 529 036 014  
All LC's engines without rotary valve

Recommended




Engine lifting tool  
P/N 529 036 022  
V-490, V-660 & V-810 engines

Recommended



Drive shaft oil seal installer  
P/N 529 036 028  
V-490, V-660 & V-810 engines

Recommended



Drive shaft oil seal protector  
P/N 529 036 029  
V-490, V-660 & V-810 engines

Recommended



Crankcase support MAG/PTO  
P/N 529 036 031  
V-490, V-660 & V-810 engines

Recommended



PTO cover plain bearing remover  
P/N 529 036 032  
V-490, V-660 & V-810 engines

Recommended



PTO cover oil seal installer  
P/N 529 036 033  
V-490, V-660 & V-810 engines

Recommended




Crankshaft protector  
P/N 529 036 034  
V-490, V-660 & V-810 engines

Recommended




Distance gage for bearing on crankshaft  
P/N 529 036 060  
797

Recommended



Gear holder  
P/N 529 036 061  
552 Fan  
To hold oil pump gear.

Recommended



Intake Plug  
P/N 529 036 128  
500SS, 600SDI, 800R

Recommended

No picture available

# Engine



Ignition Timing Tool  
 P/N 529 036 129 Recommended  
 REV-XP




Ceramic seal pusher plate  
 P/N 529 036 130 Recommended  
 V-490, V-660 & V-810 engines  
 Use with ceramic seal installer 529035766




Engine Lifting Tool (E-TEC)  
 P/N 529 036 131 **Mandatory**  
 E-TEC



Dial Indicator Adaptor (E-TEC)  
 P/N 529 036 132 **Mandatory**  
 E-TEC



Piston circlip installer 21mm  
 P/N 529 036 138 Recommended  
 797




RAVE movement detector  
 P/N 861 725 800 Recommended  
 All RAVE equipped, except 797




Engine leak test kit  
 P/N 861 749 100 **Mandatory**  
 All  
 To use with hand pump 529021800



Piston ring compressor  
 P/N Snap-on RC 980 Recommended  
 4-TEC  
 Not sold by BRP




Torque angle gauge  
 P/N Snap-on TA362 Recommended  
 Used on most 4-stroke engines.  
 Not sold by BRP




Valve stem seal removal pliers  
 P/N Snap-on YA 8230 Recommended  
 1503, 991 engines, DS650  
 Not sold by BRP


# Fuel



Carburetor tool kit  
P/N 404 112 000 Recommended




Choke plunger tool  
P/N 529 032 100 Recommended  
All equipped with choke, except ZX



Float lever measurement  
P/N 529 035 520 Recommended  
Carburetor-equipped vehicles



Fuel pressure gauge  
P/N 529 035 591 Recommended  
787 RFI, 793 SDI & 4-TEC engines  
Replaced by 529 035 709. Spare plastic clip P/N 275500429



Choke plunger tool  
P/N 529 035 602 Recommended  
VM carburetor on all 552



Gas Tank Nut Wrench  
P/N 529 035 603 Recommended  
CK3, ZX



Pressure gauge  
P/N 529 035 709 **Mandatory**  
Injection type engines  
Use with 529035652, 529035714 & 529036023



Fuel line remover  
P/N 529 035 714 **Mandatory**  
Injection models  
Used also with gauge P/N 529 035 709, 529 035 652 & 529 036 023



Needle jet height tool: guide  
P/N 529 035 835 Recommended  
TM-40 carburetor, 2002-3  
Part of kit 590122400



Needle jet height tool: pusher  
P/N 529 035 836 Recommended  
TM-40 carburetor, 2002-3  
Part of kit 590122400



Needle jet height tool: long pusher  
P/N 529 035 837 Recommended  
TM-40 carburetor, 2002-3  
Part of kit 590122400



Needle jet height tool: short pusher  
P/N 529 035 838 Recommended  
TM-40 Carburetor, 2002-3  
Part of kit 590122400

# Fuel



Fuel tank wrench  
 P/N 529 035 891 Recommended  
 REV, REV-XP, RT & RF



Fuel Pump Nut Tool  
 P/N 529 035 899 Recommended  
 2-TEC SDI & 4-TEC engines



Fuel hose adapter  
 P/N 529 036 023 **Mandatory**  
 Injection type vehicles  
 To be used with 529 035 709.  
 Replacement clip 513 033 135




Fuel Pump Nut Tool  
 P/N 529 036 118 **Mandatory**  
 REV-XP  
 For SDI and Summit models



Extractor adaptor  
 P/N 529 036 136 Recommended  
 E-TEC, V-twin




Injector retainer plate  
 P/N 529 036 137 Recommended  
 E-TEC




Needle jet height tool kit  
 P/N 590 122 400 Recommended  
 TM-40 carburator, 2002 & 2003




# Cooling




Coolant oil pump gear holder  
 P/N 420 277 905 Recommended  
 717, 583, 670, 599, 699, 779, 809 engine




Fan Holder  
 P/N 420 876 357 **Mandatory**  
 All axial fan engines  
 except 552F



Gasket pusher  
 P/N 420 876 512 Recommended  
 500 LC, 670, 583  
 Rotary valve, 10 mm impeller shaft



Rotary valve seal pusher  
 P/N 420 876 607 Recommended  
 500lc, 583, 670



Washer pusher (behind impeller)  
 P/N 529 020 700 Recommended  
 Rotary valve engines




Radiator Cap Pressure Test  
 P/N 529 021 400 Recommended  
 4-TEC models  
 Replacement part for item also included in  
 kit 861749100



Coolant Pump Seal Pusher  
 P/N 529 035 823 Recommended  
 4-TEC 1503



Test cap  
 P/N 529 035 991 Recommended  
 All models  
 To be used with Vacuum/Pressure Pump  
 529 021 800.




Fan Holder Tool  
 P/N 529 036 006 **Mandatory**  
 552F


# Electrical



MPI communication cables only  
 P/N 278 001 052 Recommended  
 MPI not included




Circuit tester  
 P/N 414 012 200 Recommended  
 All



ECM adapter tool  
 P/N 420 277 010 Recommended  
 All models  
 All injected 2-TEC & 4-TEC with VDO ECM



MPEM programmer guide  
 P/N 484 300 139 Recommended  
 Guide: how to use hand held programmer  
 Has been replaced by B.U.D.S., the MPI  
 and recently by the MPI-2.



Digital induction tachometer  
 P/N 529 014 500 Recommended  
 All models



Stroboscopic Timing Light  
 P/N 529 031 900 Recommended  
 All 2-stroke



Bypass Wire  
 P/N 529 033 300 Recommended  
 CK3 with magneto 360W




Adaptor  
 P/N 529 033 800 Recommended  
 GT SE 1997-8 & Summit X 670 1998



Choke Nut Removal Tool  
 P/N 529 034 600 Recommended  
 Replaced by 529035943



Adaptor  
 P/N 529 035 550 Recommended  
 1998, Summit 670 DPM



9 V battery supply cable  
 P/N 529 035 675 **Mandatory**  
 All DESS equipped  
 Used with 529035869



MPI communication Kit  
 P/N 529 035 676 Recommended  
 Replaced by MPI-2

# Electrical



Diagnostic adaptor for VCK  
 P/N 529 035 679 Recommended  
 To be used with the MPI, connects to 529 035 807.



9 Pins to 25 Pins Adaptor  
 P/N 529 035 681 Recommended  
 To connect communication cable P/N 529 035 697 of MPI to older PC.



MPI-2 Communication Cable Extension  
 P/N 529 035 697 Recommended  
 Male/female DB9 extension can be purchased at any PC store; max. 25 ft lg.



Crimping plier for heavy gage wire  
 P/N 529 035 730 Recommended  
 All models  
 Ex.: To crimp battery cable terminals.



Flywheel puller  
 P/N 529 035 748 Recommended  
 All V-twin



Multilock 070 Die  
 P/N 529 035 828 Recommended  
 For small connector of AMP Multilock co  
 To use with crimping tool P/N 529035909



Fluke 115 digital multimeter  
 P/N 529 035 868 Recommended  
 All models



T-harness  
 P/N 529 035 869 **Mandatory**  
 All DESS equipped



MPEM programmer kit  
 P/N 529 035 878 Recommended  
 All 2-stroke models  
 No longer sold, replaced by MPI-2, P/N 529 036 018.



B.U.D.S. DESS Key  
 P/N 529 035 896 Recommended  
 MY 2004 with DESS  
 To wake up MPEM



D.E.S.S. Adaptor  
 P/N 529 035 904 **Mandatory**  
 Connects to the diagnostic cable of the MPI or MPI-2.



KOSTAL Die  
 P/N 529 035 906 Recommended  
 All models with KOSTAL ECM connectors  
 To use with crimping tool 529 035 909 to crimp ECU connectors

# Electrical



AMP die  
 P/N 529 035 908 Recommended  
 All models with AMP connectors  
 To use with crimping tool 529 035 909 to crimp Deutsch connectors.



Crimping tool  
 P/N 529 035 909 Recommended  
 To use with compatible die to crimp different connectors



D.E.S.S. Post Remover  
 P/N 529 035 943 Recommended  
 All DESS equipped models




MPI communication kit  
 P/N 529 035 981 Recommended  
 Spare cables are still available. See MPI-2



Handheld MEM Programme Cable  
 P/N 529 035 993 Recommended  
 6 pin connector



12 V battery supply cable  
 P/N 529 035 997 Recommended  
 Used with 529035869




Magneto harness adapter  
 P/N 529 036 016 Recommended  
 1503, 449  
 To test the magneto.




MPI-2 interface card  
 P/N 529 036 018 **Mandatory**  
 Replaces the MPI.



D.E.S.S. Post Interface  
 P/N 529 036 019 **Mandatory**  
 To program D.E.S.S. keys with the MPI-2.



4-pin magneto diagnostic harness  
 P/N 529 036 062 Recommended  
 V810




Test probes  
 P/N 529 036 063 Recommended  
 All models  
 To back probe various connectors.




MPI-2 diagnostic cable  
 P/N 710 000 851 **Mandatory**  
 All DESS-equipped vehicles


## Electrical



Bypass wire kit  
P/N 861 780 600 Recommended  
2002 ZX 360W magneto



Multilock terminal housing connector ext  
P/N AMP 755430-2 Recommended  
Not sold by BRP




Packard terminal extractor  
P/N Snap-on TT600-4 Recommended  
Not sold by BRP


## Lubrication



Adapter Hose  
P/N 529 035 652 Recommended  
4-TEC engines  
Used with 529 035 709.




OIL FILTER COVER EXTRACTOR  
P/N 529 036 038 Recommended  
4-TEC 1503



Free play throttle gauge  
P/N 529 036 042 Recommended  
Replacement part for 861205900



Oil pump adj. procedure card  
P/N 529 036 043 Recommended  
Replacement part for 861205900



Oil Pump Adjuster  
P/N 529 036 045 Recommended  
Replacement part for 861205900



Oil Filter Cover Puller  
P/N 529 036 057 Recommended  
4-TEC 1503  
Replaced by 529 036 108

## Lubrication



Oil filter cover puller

P/N 529 036 108

Recommended

1503

Used with 529 036 038.




Oil pump adjustment kit

P/N 861 205 900

**Mandatory**

2005 and up LC engines

## Propulsion / Transmission




Bolt M10 (item 4)

P/N 222 007 565

Recommended

All except Élan

Part of kit 861725700




Screw M8 (item 6)

P/N 222 082 565

Recommended

All except Élan

Part of kit 861725700




Allen screw (item 5)

P/N 222 983 065

Recommended

All except Élan

Part of kit 861725700




TESTER TENSION

P/N 414 348 200

**Mandatory**

All




Alignment tool

P/N 420 476 010

Recommended

Skandic WT & Alpine II gearbox




Transmission ball mounting pin

P/N 420 476 020


Recommended

Alpine II gearbox


# Propulsion / Transmission



Driven pulley puller (SAE threads)  
P/N 529 002 100 Recommended  
Square shaft equipped vehicles




Driven pulley puller (metric threads)  
P/N 529 002 800 Recommended  
277-377




Fork (qty 3)  
P/N 529 005 500 **Mandatory**  
All vehicles with TRA drive pulley




Drive pulley holder (CVT)  
P/N 529 006 400 Recommended




Spring scale hook  
P/N 529 006 500 Recommended  
Tundra II LT




Drive axle holder  
P/N 529 007 200 Recommended  
All




Track wide cleat installer  
P/N 529 007 700 Recommended  
1992 and older with wide cleat




Drive pulley puller  
P/N 529 007 900 **Mandatory**  
443, 467, 503.536 & 537 TRA



Track narrow cleat plier  
P/N 529 008 500 Recommended  
1993 and older models



Drive belt deflection adjuster  
P/N 529 008 700 Recommended  
Formula and LPV 27 driven pulley  
1: 420878730 , 2: 529015000; available  
as a kit only.



TRA drive pulley puller (27 mm)  
P/N 529 010 100 Recommended  
TRA (27 mm) except 454, 670 & 779






Plate (item 3)  
P/N 529 010 600 Recommended  
All except Élan  
Part of kit 861725700


# Propulsion / Transmission




Block with threads (item 1)  
 P/N 529 010 700 Recommended  
 All except Élan  
 Part of kit 861725700




Block without threads (item 2)  
 P/N 529 010 800 Recommended  
 All except Élan  
 Part of kit 861725700




Spring scale Hook  
 P/N 529 015 200 Recommended  
 1994 models and older, except Alpine II




Driven pulley opening Tool  
 P/N 529 017 200 Recommended  
 Almost all models



Countershaft bearing remover  
 P/N 529 018 700 Recommended  
 PRS chassis




Countershaft bearing installer  
 P/N 529 018 800 Recommended  
 PRS chassis




Drive pulley puller  
 P/N 529 022 400 **Mandatory**  
 2003 and up bombardier Lite & TRA




Drive Puller  
 P/N 529 025 000 Recommended  
 Skandic 440 LT




Pulley alignment bar  
 P/N 529 025 600 Recommended  
 PRS chassis



Burnishing bar  
 P/N 529 026 402 Recommended  
 Tundra II LT, Safari / Skandic




Pulley alignment bar  
 P/N 529 026 700 Recommended  
 S-2000, F-2000




Pulley alignment bar  
 P/N 529 026 800 Recommended  
 Safari L




# Propulsion / Transmission




Pulley alignment bar  
P/N 529 026 900 Recommended  
Tundra II LT/R




Spring Cover Puller  
P/N 529 027 300 Recommended  
Bombardier Lite




Clutch Holder Tool  
P/N 529 027 600 **Mandatory**  
Bombardier Lite



Pulley alignment bar  
P/N 529 028 200 Recommended  
Alpine II




Pulley alignment bar  
P/N 529 028 300 Recommended  
Élan




Transmission adjuster  
P/N 529 028 500 Recommended  
F series with "twist shifter" reverse tr




**NO LONGER AVAILABLE**  
Track cleat installer  
P/N 529 028 800 Recommended  
1994 and newer models  
Replaced by 529036044.




Pulley alignment bar  
P/N 529 030 000 Recommended  
S series with Bombardier LITE




Countershaft bearing remover  
P/N 529 030 100 Recommended  
F & S series



Countershaft bearing installer  
P/N 529 030 200 Recommended  
S & F series




Transmission adjuster  
P/N 529 030 300 Recommended  
"Push-pull shifter" reverse transmission




Spring balance hook  
P/N 529 030 900 Recommended  
S-2000, F-2000 1995 and newer

# Propulsion / Transmission




Large bushing extractor  
P/N 529 031 100 Recommended  
Formula type driven pulley  
To use with puller: 529018600



Small bushing puller/large installer  
P/N 529 031 200 Recommended  
All  
Except Tundra R, Skandic WT/SWT/WT  
LC, S series



Bushing extractor/installer  
P/N 529 031 300 Recommended  
TRA cover with replaceable bushing



Drive pulley puller  
P/N 529 031 400 Recommended  
277F, 377F  
2002 and older Bombardier Lite equipped  
vehicles



Chaincase seal pusher  
P/N 529 032 300 Recommended  
Replaced by 529035584



Driven pulley opening tool  
P/N 529 034 200 Recommended  
Tundra R up to 2005




Driven pulley spring compressor  
P/N 529 035 300 Recommended  
Tundra R




Driven pulley opening tool  
P/N 529 035 501 Recommended  
HPV, LPV & some Formula pulley




Pulley spring compressor  
P/N 529 035 524 Recommended  
All  
This tool has been replaced by 529036012



Pulley alignment bar  
P/N 529 035 527 Recommended  
CK3 exopt Mach Z 1998




Alignment Barre  
P/N 529 035 530 Recommended  
S-2000 with TRA and RER




Pulley alignment bar  
P/N 529 035 545 Recommended  
1998 Skandic WT


# Propulsion / Transmission




Spring scale hook (long)  
P/N 529 035 557 Recommended  
CK3 without RER




Pulley alignment bar  
P/N 529 035 572 Recommended  
1998 Mach Z




Large bushing extractor  
P/N 529 035 575 Recommended  
LPV27 driven pulley  
To be used with 529035524




Large bushing extractor  
P/N 529 035 576 Recommended  
Formula type driven pulley  
To be used with 529035524




Chain case seal pusher  
P/N 529 035 584 Recommended  
All Frames  
Replaces 529032300



Pulley alignment bar  
P/N 529 035 586 Recommended  
S & ZX series




Replacement part for puller  
P/N 529 035 588 Recommended  
For 529036012




Pulley alignment bar  
P/N 529 035 594 Recommended  
CK3 series



Drive pulley retainer  
P/N 529 035 674 **Mandatory**  
All TRA



Countershaft bearing remover/installer  
P/N 529 035 699 Recommended  
REV, RT, ZX & CK3  
Replaces 529035554.




Pulley alignment bar  
P/N 529 035 808 Recommended  
Skandic II



Countershaft bearing remover  
P/N 529 035 812 Recommended  
Skandic LT


# Propulsion / Transmission




Bearing pusher  
P/N 529 035 815 Recommended  
Skandic 440 LT



Tapered Tool  
P/N 529 035 826 Recommended  
Skandic 440 LT  
Replacement tool from kit 529025400



Universal alignment bar  
P/N 529 035 831 **Mandatory**  
All except CK3 & ELITE



Pulley alignment bar  
P/N 529 035 832 Recommended  
ZX series



Gouvernor Cup Remover  
P/N 529 035 894 Recommended  
TRA IV



Sliding half bushing remover/installer  
P/N 529 035 931 Recommended  
TRA III & TRA IV




Hydraulic gauge kit  
P/N 529 035 939 Recommended  
TRA IV




Clutch Support  
P/N 529 035 942 Recommended  
TRA IV



Belt tensioner tool  
P/N 529 035 957 Recommended  
Elite



Clutch Puller  
P/N 529 035 959 Recommended  
Elite



Pulley alignment bar  
P/N 529 035 974 Recommended  
2004 Skandic WT/SWT/SUV 550




Countershaft alignment bearing  
P/N 529 036 009 Recommended  
RT

# Propulsion / Transmission




**BOLT PULLER COUNTERSHAFT**  
 P/N 529 036 010 Recommended  
 RT, DS 450



**Clutch/driven spring compressor tool**  
 P/N 529 036 012 **Mandatory**  
 Most drive & driven pulleys




**Driven spring compressor**  
 P/N 529 036 035 Recommended  
 RF 277F 2006 Only  
 To take apart the driven




**track Cleat Installer**  
 P/N 529 036 044 Recommended  
 1994 and newer models.  
 Stronger version of tool 529028800. For  
 newer track design.




**Driven spring compressor**  
 P/N 529 036 064 **Mandatory**  
 REV-XP



**Countershaft bearing remover**  
 P/N 529 036 065 **Mandatory**  
 REV-XP



**Countershaft bearing installer**  
 P/N 529 036 066 **Mandatory**  
 REV-XP



**Countershaft support**  
 P/N 529 036 067 **Mandatory**  
 REV-XP



**Retaining upper gear tool**  
 P/N 529 036 110 **Mandatory**  
 REV-XP



**Installer/remover upper bearing**  
 P/N 529 036 111 **Mandatory**  
 REV-XP



**Installer/remover lower bearing**  
 P/N 529 036 112 **Mandatory**  
 REV-XP



**Screw Cap Socket**  
 P/N 529 036 122 Recommended  
 600 RS

## Propulsion / Transmission




Driven pulley open Tool

P/N 529 036 127

Recommended

REV-XP




Drive pulley puller

P/N 860 414 200

Recommended

Square shaft equipped vehicles (metric)  
Made of 529003000 & 529002800



Drive sprocket position adjuster kit

P/N 861 725 700

Recommended

All except Élan  
Includes: 529010700, 529010800,  
529010600, 222007565, 222983065 &

## Steering



529 035 897

Heated grip installer

P/N 529 035 897

Recommended

Straight grips



529 035 897

Heated grip installer

P/N 529 035 936

Recommended

Models with J-hook

## Suspension




503 190 102

Gas shock filling tool

P/N 503 190 102

Recommended

T/A shocks  
To be used with P/N 529035570. Spare  
needle P/N 529035930.



Suspension adjustment wrench

P/N 520 000 126

Recommended

SC-10 II & III




Ball joint installer

P/N 529 000 012


**Mandatory**

REV, RT, DS 650, DS 450


# Suspension




Spring installer  
 P/N 529 005 000 Recommended  
 Rear suspension torsion spring removal




Track cleat remover  
 P/N 529 008 200 Recommended  
 1993 and older  
 Replacement pin 529008204




Replacement pin  
 P/N 529 008 204 Recommended  
 1993 and older  
 Remplacement part for tool 529008200.




Suspension adjustment tool  
 P/N 529 017 100 Recommended  
 1992 and older C-7




Track tension adjuster  
 P/N 529 021 500 Recommended  
 All except Élan




suspension adjustment wrench  
 P/N 529 024 000 Recommended  
 1998 and older models, with T/A shock  
 Included in kit 861743900



Suspension adjustmentwrench  
 P/N 529 025 500 Recommended  
 1998 and older models with T/A shock  
 Included in kit 861743900




Dome Guide  
 P/N 529 026 500 Recommended  
 C-36 HPG T/A Shock




Piston guide  
 P/N 529 026 600 Recommended  
 C-36 HPG T/A shock



Track cleat remover  
 P/N 529 028 700 Recommended  
 1994 and newer, except Élan & Tundra II



Shock preload adjustment wrench  
 P/N 529 032 900 Recommended




Suspension adjustment tool  
 P/N 529 034 100 Recommended  
 CK3 series


## Suspension




Spring compressor  
P/N 529 035 504 Recommended  
No longer sold, replaced by P/N 529 036 007.



Shock filling valve  
P/N 529 035 570 Recommended  
T/A shocks




Kayaba shock adjustment wrench  
P/N 529 035 582 Recommended  
C-7 suspension



Piston guide  
P/N 529 035 608 Recommended  
C-46 HPG T/A shock



Shock wrench  
P/N 529 035 727 Recommended  
All T/A shocks



Dome guide  
P/N 529 035 728 Recommended  
C-46 HPG T/A shock



Shock retainer tool  
P/N 529 035 769 Recommended  
All HPG shock



Ball joint extractor  
P/N 529 035 827 **Mandatory**  
REV, RT



Ball joint remover support  
P/N 529 035 873 **Mandatory**  
REV, RT  
Replaced by 529036121



Ball joint installer  
P/N 529 035 874 Recommended  
2003 REV series



Ball joint installer support  
P/N 529 035 875 **Mandatory**  
REV, RT, Outlander




Extension to torque ball joint  
P/N 529 035 876 **Mandatory**  
REV, RT



# Suspension




**Floating piston puller**  
 P/N 529 035 901 Recommended  
 HPG T/A shock with externa reservoir



**Dome guide**  
 P/N 529 035 902 Recommended  
 ZX X 440



**Floating piston support**  
 P/N 529 035 903 Recommended  
 ZX X 440



**Floating piston puller**  
 P/N 529 035 907 Recommended  
 MX Z X 440



**Needle (10) spare**  
 P/N 529 035 930 Recommended  
 Used with 503190102



**Ball joint lock**  
 P/N 529 035 945 Recommended  
 REV, RT




**Ball joint installer**  
 P/N 529 035 975 Recommended  
 REV, RT, except 2003 REV



**Spring Remover**  
 P/N 529 036 007 Recommended  
 All models  
 To remove coil spring from shock.



**Ball joint remover support**  
 P/N 529 036 121 Recommended  
 REV, RT, Outlander, roadsters



**Suspension adjustment wrench**  
 P/N 861 743 900 Recommended  
 1998 and older models with T/A shocks  
 Includes 529024000 & 529025500

## Hull / Body / Chassis



Template for hood drilling


P/N 529 034 400

Recommended

S series

To install gauges.

## Various




Oetiker Pliers

P/N 295 000 069

Recommended

All models




Oetiker pliers

P/N 295 000 070

Recommended

All models



Small hose pincher

P/N 295 000 076

**Mandatory**

All models




6 mm insert pliers

P/N 295 000 162

Recommended

To install 6mm inserts on frame.




Flexible spout for oil

P/N 414 837 300

Recommended

All models



Handle


P/N 420 877 650

Recommended

All models

To be used with many pushers.


## Various




Cam puller  
P/N 529 012 900 Recommended  
Tundra II LT




Snomobile rack  
P/N 529 020 000 Recommended  
All  
No longer sold, replacement parts still available.




Replacement chain ass'y  
P/N 529 020 400 Recommended  
For jack 529020000.




Replacement bushing  
P/N 529 020 600 Recommended  
For jack 529020000.



Drive pulley puller  
P/N 529 023 100 Recommended  
Elan



Replacement strap  
P/N 529 026 200 Recommended  
For jack 529020000




Replacement U bushing  
P/N 529 027 703 Recommended  
For jack 529020000




Protective mat  
P/N 529 030 600 Recommended  
All




Supertitanium drill bit 3/16"  
P/N 529 031 800 Recommended  
To drill/remove many kinds of rivet.



Large hose pincher  
P/N 529 032 500 Recommended  
All models



Spring removal tool  
P/N 529 035 983 **Mandatory**  
All models



Spring removal tool (small)  
P/N 529 035 989 **Mandatory**

## Various




Blind hole bearing puller set

P/N 529 036 117 Recommended

All models

Replaced by 529036056



Slide hammer

P/N Snap-on CJ125-6 Recommended

All

No sold by BRP

# Index

## Tool Part Numbers ... Page

These tools are mandatory

222007565	22	420876922	4	529020400	35	529031900	18
222082565	22	420876980	4	529020600	35	529032100	15
222983065	22	420877050	4	529020700	17	529032300	26
278001052	18	420877635	4	529020800	6	529032500	35
295000069	34	420877650	34	529021100	6	529032900	31
295000070	34	420877820	4	529021200	6	<b>529033100</b>	<b>7</b>
<b>295000076</b>	<b>34</b>	420940755	5	529021300	6	529033300	18
295000114	2	420976235	5	529021302	6	529033800	18
295000143	2	420976890	5	529021400	17	529034100	31
295000162	34	420977475	5	529021500	31	529034200	26
404112000	15	420977479	5	529021800	6	529034400	34
408201100	2	420977480	5	<b>529022400</b>	<b>24</b>	529034600	18
408803500	2	420977490	5	529022500	6	529035300	26
414012200	18	420977494	5	529023100	35	529035400	7
414104700	2	484300139	18	529023400	6	529035501	26
<b>414348200</b>	<b>22</b>	503190102	30	529024000	31	<b>529035503</b>	<b>7</b>
414837300	34	517234900	5	529024600	6	529035504	32
420267930	2	520000126	30	529024900	7	529035513	7
420276025	2	<b>529000012</b>	<b>30</b>	529025000	24	529035520	15
420277010	18	529002100	23	529025500	31	529035521	7
420277875	2	529002800	23	529025600	24	529035522	7
420277905	17	529005000	31	529026200	35	529035523	7
420476010	22	<b>529005500</b>	<b>23</b>	529026402	24	529035524	26
420476020	22	529006400	23	529026500	31	529035527	26
420840681	2	529006500	23	529026600	31	529035530	26
420841201	2	529007200	23	529026700	24	<b>529035541</b>	<b>7</b>
<b>420876081</b>	<b>2</b>	529007700	23	529026800	24	<b>529035542</b>	<b>8</b>
420876171	2	<b>529007900</b>	<b>23</b>	529026900	25	<b>529035543</b>	<b>8</b>
420876330	3	529008200	31	529027300	25	529035545	26
<b>420876357</b>	<b>17</b>	529008204	31	<b>529027600</b>	<b>25</b>	<b>529035547</b>	<b>8</b>
420876490	3	529008500	23	529027703	35	529035549	8
420876500	3	529008700	23	529028200	25	529035550	18
420876501	3	529010100	23	529028300	25	529035557	27
420876510	3	529010600	23	529028500	25	529035559	8
420876512	17	529010700	24	529028700	31	529035561	8
420876514	3	529010800	24	529028800	25	529035562	8
420876516	3	529010902	5	529029100	7	529035563	8
420876552	3	529011000	5	529030000	25	529035565	8
420876557	3	529011200	5	529030100	25	529035567	8
420876569	3	529011203	6	529030200	25	529035569	8
420876605	3	529012900	35	529030300	25	529035570	32
420876607	17	529014500	18	529030500	7	529035572	27
420876610	3	529015200	24	529030600	35	529035575	27
420876612	4	529016900	6	529030800	7	529035576	27
420876620	4	529017100	31	529030900	25	529035582	32
420876660	4	529017200	24	529031100	26	529035584	27
420876695	4	529018700	24	529031200	26	529035586	27
420876822	4	529018800	24	529031300	26	529035588	27
420876824	4	529018900	6	529031400	26	529035591	15
420876904	4	529020000	35	529031800	35	529035594	27

# Index

## Tool Part Numbers ... Page

These tools are mandatory

529035602 ..... 15	529035878 ..... 19	529035976 ..... 12	529036108 ..... 22
529035603 ..... 15	529035880 ..... 10	529035979 ..... 12	<b>529036110 ..... 29</b>
<b>529035607 ..... 8</b>	529035891 ..... 16	529035980 ..... 12	<b>529036111 ..... 29</b>
529035608 ..... 32	529035894 ..... 28	529035981 ..... 20	<b>529036112 ..... 29</b>
529035652 ..... 21	529035896 ..... 19	<b>529035983 ..... 35</b>	529036117 ..... 36
529035661 ..... 9	529035897 ..... 30	<b>529035989 ..... 35</b>	<b>529036118 ..... 16</b>
<b>529035674 ..... 27</b>	529035899 ..... 16	529035990 ..... 12	529036121 ..... 33
<b>529035675 ..... 18</b>	529035900 ..... 10	529035991 ..... 17	529036122 ..... 29
529035676 ..... 18	529035901 ..... 33	529035993 ..... 20	529036127 ..... 30
529035679 ..... 19	529035902 ..... 33	529035997 ..... 20	529036128 ..... 13
529035681 ..... 19	529035903 ..... 33	<b>529035998 ..... 12</b>	529036129 ..... 14
<b>529035686 ..... 9</b>	<b>529035904 ..... 19</b>	529035999 ..... 12	529036130 ..... 14
529035687 ..... 9	529035906 ..... 19	529036000 ..... 12	<b>529036131 ..... 14</b>
529035697 ..... 19	529035907 ..... 33	<b>529036001 ..... 12</b>	<b>529036132 ..... 14</b>
529035699 ..... 27	529035908 ..... 20	<b>529036002 ..... 12</b>	529036136 ..... 16
<b>529035709 ..... 15</b>	529035909 ..... 20	529036003 ..... 12	529036137 ..... 16
<b>529035714 ..... 15</b>	529035910 ..... 10	529036004 ..... 12	529036138 ..... 14
529035724 ..... 9	529035911 ..... 10	<b>529036006 ..... 17</b>	590122400 ..... 16
529035727 ..... 32	529035913 ..... 10	529036007 ..... 33	<b>710000851 ..... 20</b>
529035728 ..... 32	529035914 ..... 10	529036009 ..... 28	860414200 ..... 30
529035730 ..... 19	529035930 ..... 33	529036010 ..... 29	<b>861205900 ..... 22</b>
529035748 ..... 19	529035931 ..... 28	<b>529036011 ..... 13</b>	861725700 ..... 30
529035764 ..... 9	529035936 ..... 30	<b>529036012 ..... 29</b>	861725800 ..... 14
529035765 ..... 9	529035939 ..... 28	529036014 ..... 13	861743900 ..... 33
529035766 ..... 9	529035940 ..... 10	529036016 ..... 20	<b>861749100 ..... 14</b>
529035769 ..... 32	529035942 ..... 28	<b>529036018 ..... 20</b>	861780600 ..... 21
529035808 ..... 27	529035943 ..... 20	<b>529036019 ..... 20</b>	AMP 755430-2 ..... 21
529035812 ..... 27	529035944 ..... 10	529036022 ..... 13	Snap-on CJ125-6 .... 36
529035815 ..... 28	529035945 ..... 33	<b>529036023 ..... 16</b>	Snap-on RC 980 ..... 14
529035821 ..... 9	529035952 ..... 10	529036028 ..... 13	Snap-on TA362 ..... 14
529035822 ..... 9	529035953 ..... 10	529036029 ..... 13	Snap-on TT600-4 .... 21
529035823 ..... 17	529035957 ..... 28	529036031 ..... 13	Snap-on YA 8230 .... 14
529035826 ..... 28	529035958 ..... 10	529036032 ..... 13	
<b>529035827 ..... 32</b>	529035959 ..... 28	529036033 ..... 13	
529035828 ..... 19	529035960 ..... 10	529036034 ..... 13	
<b>529035829 ..... 9</b>	529035961 ..... 11	529036035 ..... 29	
529035830 ..... 9	529035962 ..... 11	529036038 ..... 21	
<b>529035831 ..... 28</b>	529035963 ..... 11	529036042 ..... 21	
529035832 ..... 28	529035964 ..... 11	529036043 ..... 21	
529035835 ..... 15	529035965 ..... 11	529036044 ..... 29	
529035836 ..... 15	529035966 ..... 11	529036045 ..... 21	
529035837 ..... 15	529035967 ..... 11	529036057 ..... 21	
529035838 ..... 15	529035968 ..... 11	529036060 ..... 13	
529035839 ..... 9	<b>529035969 ..... 11</b>	529036061 ..... 13	
529035868 ..... 19	<b>529035970 ..... 11</b>	529036062 ..... 20	
<b>529035869 ..... 19</b>	529035971 ..... 11	529036063 ..... 20	
<b>529035873 ..... 32</b>	529035972 ..... 11	<b>529036064 ..... 29</b>	
529035874 ..... 32	529035973 ..... 12	529036065 ..... 29	
<b>529035875 ..... 32</b>	529035974 ..... 28	529036066 ..... 29	
<b>529035876 ..... 32</b>	529035975 ..... 33	<b>529036067 ..... 29</b>	